

Tiamináz-tartalmú halak:

- Alewife (*Alosa pseudoharengus*)
- Anchovy, Broad-striped (*Anchoa hepsetus*)
- Anchovy, Californian (*Engraulis mordax*)
- Anchovy, Goldspotted Grenadier (*Coilia dussumieri*)
- Barb, Olive (*Puntius sarana*)
- Bass, White (*Morone chrysops*)
- Bonefish (*Albula vulpes*)
- Bowfin (*Amia calva*)
- Bream (*Abramis brama*)
- Buffalo, Bigmouth (*Ictiobus cyprinellus*)
- Burbot (*Lota lota*)
- Butterfish, American (*Peprilus triacanthus*)
- Carp, Common (*Cyprinus carpio*)
- Capelin (*Mallotus villosus*)
- Catfish, Black Bullhead (*Amieurus melas*)
- Catfish, Brown Bullhead (*Ameiurus nebulosus*)
- Catfish, Channel (*Ictalurus punctatus*)
- Cod, Black (species undetermined)
- Dolphinfish, Common (*Coryphaena hippurus*)
- Flagtail, Hawaiian (*Kuhlia sandvicensis*)
- Goatfish, Manybar (*Parupeneus multifasciatus*)



- Goatfish, Red Sea (*Mulloidichthys auriflamma*)
 - Goatfish, Yellowstripe (*Mulloidichthys samoensis*)
 - Goldfish (*Carassius auratus*)
 - Herring, Atlantic (*Clupea harengus*)
 - Jobfish, Crimson (*Pristipomoides filamentosus*)
 - Jobfish, Green (*Aprion virescens*)
 - Lamprey, Sea (*Petromyzon marinus*)
 - Loach, Weatherfish (*Misgurnus*)
 - Mackerel, Chub (*Scomber japonicus*)
 - Menhaden, Atlantic (*Brevoortia tyrannus*)
 - Menhaden, Gulf (*Brevoortia patronus*)
 - Milkfish (*Chanos chanos*)
 - Minnow, Fathead ("Rosy Red") (*Pimephales promelas*)
 - Moray Eel, Southern Ocellated (*Gymnothorax ocellatus*)
 - Mullet, Flathead (*Mugil cephalus*)
 - Parrot, Regal (*Scarus dubius*)
 - Queenfish, Doublespotted (*Scomberoides lysan*)
 - Sardine, Razorbelly, Scaled Sardine (*Harengula jaguana*)
 - Sauger (*Harengula jaguana*)
 - Scad, Bigeye (*Selar crumenophthalmus*)
 - Sculpin, Fourhorn (*Trigloporus quadricornis*)
 - Shad, Gizzard (*Dorosoma cepedianum*)
 - Shiner, Emerald (*Notropis atherinoides*)
 - Shiner, Spottail (*Notropis hudsonius*)
-



- Smelt, Rainbow (*Osmerus mordax*)
- Snapper, Ruby (*Etelis carbunculus*)
- Stoneroller, Central (*Campostoma anomalum*)
- Sucker, White (*Catostomus commersonii*)
- Swordfish (*Xiphias gladius*)
- Threadfin, Sixfinger (*Polydactylus sexfilis*)
- Trevally, Giant (*Caranx ignobilis*)
- Tuna, Skipjack (*Katsuwonus pelamis*)
- Tuna, Yellowfin (*Neothunnus macropterus*)
- Whitefish, Lake (*Coregonus clupeaformis*)
- Whitefish, Round (*Prosopium cylindraceum*)

Tiamináz-mentes halak:

- Amberjack, Greater (*Seriola dumerilii*)
 - Ayu (*Plecoglossus altivelis*)
 - Barracuda, Great (*Sphyræna barracuda*)
 - Bass, Largemouth (*Micropterus salmoides*)
 - Bass, Northern Rock (*Ambloplites rupestris*)
 - Bass, Northern Smallmouth (*Micropterus dolomieu*)
 - Bloater (*Coregonus hoyi*)
 - Bluegill (*Lepomis macrochirus*)
 - Cisco / Lake Herring (*Coregonus artedii*)
 - Cod, Atlantic (*Gadus morhua*)
-



- Crappie, Black (*Pomoxis nigromaculatus*)
 - Croaker, Atlantic (*Micropogonias undulates*)
 - Croaker, Spot (*Leiostomus xanthurus*)
 - Cunner (*Tautogolabrus adspersus*)
 - Dogfish, Piked (*Squalus acanthias*)
 - Eel, American (*Anguilla rostrata*)
 - Eel, Common (*Anguilla anguilla*)
 - Flounder, Winter / Lemon Sole (*Pseudopleuronectes americanus*)
 - Flounder, Yellowtail (*Limanda ferruginea*)
 - Gar, Longnose (*Lepisosteus osseus*)
 - Glasseye (*Heteropriacanthus cruentatus*)
 - Haddock (*Melanogrammus aeglefinus*)
 - Hairtail, Largehead (*Trichiurus lepturus*)
 - Hake (*Urophycis*)
 - Hake, Silver (*Merluccius bilinearis*)
 - Halibut, Atlantic (*Hippoglossus hippoglossus*)
 - Kawakawa (*Euthynnus affinis*)
 - Kingfish, Southern (*Menticirrhus americanus*)
 - Lizardfish, Inshore (*Synodus foetens*)
 - Mackerel, Atlantic (*Scomber scombrus*)
 - Marlin, Atlantic Blue (*Makaira nigricans*)
 - Mullet (*Mugil*)
 - Perch, European (*Perca fluviatilis*)
 - Perch, Ocean / Redfish (*Sebastes marinus*)
-





- Perch, Yellow (*Perca flavescens*)
- Pike, Northern (*Esox lucius*)
- Plaice, American (*Hippoglossoides platessoides*)
- Plaice, European (*Pleuronectes platessa*)
- Pollock / Saithe (*Pollachius*)
- Pumpkinseed (*Lepomis gibbosus*)
- Salmon, Atlantic (*Salmo salar*)
- Salmon, Coho (*Oncorhynchus kisutch*)
- Scad, Mackerel (*Decapterus pinnulatus*)
- Scad, Yellowtail (*Atule mate*)
- Scup / Southern Porgy (*Stenotomus chrysops*)
- Sea Catfish, Hardhead (*Ariopsis felis*)
- Seabass, Black (*Centropristis striata*)
- Searobin (*Prionotus*)
- Seatrout, Sand (*Cynoscion arenarius*)
- Seatrout, Silver (*Cynoscion nothus*)
- Skate (*Raja*)
- Smelt, Pond (*Hypomesus olidus*)
- Soldierfish, Blotcheye (*Myripristis berndti*)
- Sole, Common/Black (*Solea solea*)
- Sprat, European (*Sprattus sprattus*)
- Surgeonfish, Eyestripe (*Acanthurus dussumieri*)
- Tautog / Blackfish (*Tautoga onitis*)
- Tilapia (various species)





- Trout, Brown (*Salmo trutta*)
- Trout, Lake (*Salvelinus namaycush*)
- Trout, Rainbow (*Oncorhynchus mykiss*)
- Trout, Sea (*Salmo trutta*)
- Tusk (*Brosme brosme*)
- Walleye (*Sander vitreus*)
- Weakfish, Sand (*Cynoscion arenarius*)

Forrás: NRC - Nutrient Requirements of Warmwater Fishes and Shellfishes

